



GLAMIVA
CLADDICE



GLAMIVA
CLADDICE

LUXURIOUS
NOBILITY
WITH ARTISTIC IMPRESSION



TIMELESS
ELEGANCE
CAPTURED

GLAMIVA
CLADDICE

LUXURIOUS
NOBILITY



ABOUT US





Imagine a whole new world of surfaces where the impossible is redundant. Technology is constantly surpassing new challenges to create exceptional, globally recognized products. Driven by this inherent value of innovation, Glamiva laminates embarked on a journey 33 years ago, and the rest is history. During these three decades of corporate excellence, Glamiva constantly created new products through innovation in technology, raw materials, processes, and techniques to achieve world-class standards and set new benchmarks for the industry.

As a global leader in decorative laminates and surface solutions, the organization has a stellar presence in over 90+ countries across five continents. Focused on its approach to manufacturing superior top-of-the-line products, the organization is truly a global manufacturing hub with an annual production capacity of over 3500+ million Sqft of HPL.

At Glamiva, we do not believe in meeting our customer's expectations; we look forward to surpassing them each and every time. Our dedicated workforce of over 2,000+ employees is trained for just that and many more will be adding to the Glamiva family. Our top-of-the-line, modern production unit, over numerous products across to host global market, is aimed at 100% customer satisfaction.

The exceptional expansion of Glamiva is not just limited to its vertical growth as a global decorative laminate leader; also, its lateral expansion from interior architectural products to aluminum speaks volumes about our inherent value to innovate and constantly explore new avenues for our stakeholders and partners. As a corporation deeply rooted in the Indian values of **"Vasudhaiva Kutumbakam"** we believe that the world is one. Inspired by this, Glamiva prioritizes the community and the environment and places a strong focus on overall sustainability. These values have been the focus of all our new product developments, be it raw materials, processes, or technology. Sustainable development is the way forward at Glamiva.





= MISSION

A world-class manufacturing hub driven by constant innovation. At Glamiva, we priorities our customer's requirements and interpret global trends to deliver top of line products. We are committed to delivering exceptional services and support for customer delight at every step.

= VISION

Corporate excellence at every step through constant innovation and evolution. Innovation through new processes, technology, and techniques for new product development. The constant evolution of the business to stay ahead of global competition and set new benchmarks for the industry.

= VALUES

Optimum utilization of resources to achieve global efficiency levels. Be it workforce training and development, implementation and updation of technology and processes, research and development, or waste reduction initiatives for greater sustainability - Glamiva regularly redefines its limits of surpassing its previous best.

WHY GLAMIVA EXTERIOR CLADDICE

- SHOULD BE YOUR TOP CHOICE



**Increased
Energy
Efficiency**

Glamiva Claddice offer more than just aesthetic enhancement, they also provide a practical solution for improving energy efficiency in modern buildings. By acting as an insulating shield, these panels help regulate temperatures throughout the year. This means reduced reliance on heating and cooling system, leading to substantial energy savings and a more sustainable approach to building design.

Moreover, the enhanced thermal insulation provided by Glamiva Claddice contributes to improved occupant comfort by maintaining stable indoor temperatures regardless of external weather conditions. This creates a more pleasant and consistent living or working environment, ultimately enhancing the overall quality of life for building occupants.



**Protection
against Exterior
Elements**

Glamiva Claddice wall cladding offers robust protection against various outdoor elements, including rain, hail, pollution, sunlight, and dew. By acting as a shield, it fortifies structural integrity while minimizing the need for frequent repairs. This not only saves time and money in the long run but also ensures that your property remains well-maintained and resilient against the challenges of the environment. With Glamiva Claddice, you can trust that your building is safeguarded, allowing you to enjoy peace of mind knowing that it is equipped to withstand the rigors of nature for years to come.



**Reduction
of External
Noise**

For spaces sensitive to noise like cinemas, studios, or offices, top-tier exterior wall cladding provides effective sound insulation, fostering a tranquil indoor environment. Select from a range of materials to customize the degree of noise reduction to meet your precise requirements.

With premium exterior cladding from Glamiva Claddice, you can create a serene atmosphere where noise disturbances are minimized, allowing occupants to focus, relax, or engage in activities without disruptions from external sounds.



**Low
Maintenance**

Glamiva Claddice exterior cladding stands out for its low maintenance needs compared to traditional paint or other surfacing materials. Typically, all that's required is regular washing to preserve its aesthetic charm. Though the initial investment might appear higher, the significant long-term savings on maintenance costs render it a highly cost-effective solution for building exteriors. With Glamiva Claddice, enjoy the benefits of hassle-free maintenance and durability, ensuring that your building maintains its allure without the need for frequent and costly upkeep.

In the crucible of creativity, our
Manufacturing Unit
Sparks innovation into reality



GLAMIVA COMPACT	GLAMIVA contoeurtop Laminates	GLAMIVA TableAu	GLAMIVA WriteMate Laminates
GLAMIVA synchronous Laminates	GLAMIVA Electrostatic Dissipative Laminates	GLAMIVA LamiFlex Post-Forming Laminates	GLAMIVA Cubico Cubicles & Lockers
GLAMIVA coreshades Laminates	GLAMIVA MetaDecor Laminates	GLAMIVA LabShield Chemical Resistant HPL & Compact	GLAMIVA Abiotic Laminates
GLAMIVA DigiLam Customized Laminates	GLAMIVA FireShield Fire Retardant Laminates	GLAMIVA Claddice INTERNAL & EXTERNAL WALL CLADDING	GLAMIVA shiny+ Laminates
SPOTLESS ANTI-FINGERPRINT LAMINATE			

THE ART OF

Surface Design

THE
GLAMIVA
COLLECTION

2026




LUXURY ISN'T DEFINED
BY THE WORLD.
IT'S DEFINED BY YOU

EXTERNAL WALL CLADDING

Glamiva Claddice offers a sophisticated and contemporary solution for enhancing your outdoor spaces. With a diverse range of colours, patterns and trends, our facade solutions provide endless possibilities for transforming exteriors. Unlike traditional methods like painting or tiling, our Claddice can be effortlessly applied on top of existing walls, roofs, or any other exterior surfaces, instantly elevating the aesthetic appeal without the hassle of extensive renovation.

At Glamiva Claddice, quality and reliability are at the forefront of everything we do. As a globally recognized entity under Glamiva, we are dedicated to pushing the boundaries of innovation in surfacing products. Our unwavering commitment to superior quality, cutting-edge technology, and inventive solutions ensures that each product not only meets but exceeds expectations, enriching lives and spaces alike.

Experience the seamless blend of style and functionality with Glamiva Claddice. Let our Claddice work their magic as you envision and create captivating outdoor environments that reflect your unique taste and personality.




FEATURES & ATTRIBUTES

WEATHER PROOF	UV RESISTANT	COLOR STABILITY	ATTRACTIVE	LIGHT FASTNESS
TERMITE PROOF	ENVIRONMENT FRIENDLY	EASY TO INSTALL & MAINTAIN	IMPACT RESISTANCE	GRAFFITI RESISTANT


MADE TO RESIST EVERYTHING!

A perfect fusion of aesthetics and functionality-our high-pressure Exterior Cladding Collection. Can elevate the appearance of your spaces while enhancing its durability and protection.



MEET THE MULTI FUNCTIONAL GLAMIVA CLADDICE


Glamiva Claddice offers a range of application possibilities.
It can adorn a myriad of external surfaces, giving a new personality to each space.

					
APARTMENTS	SHOPPING MALL	HOSPITALITY	OFFICE BUILDING INDUSTRY	RETAIL SHOPS	AIRPORT

APPLICATION PLACES


Public Facilities, Sun Protection System, Office Entry Portal, Windows, Playground Facilities, Sports Facilities, Elevation, Duct Covering, Ceilings, Balcony, Pillars, Doors, Gates, Ventilated Facades, Entrances, Fencing, Partitions, Railings, Outdoor Furniture & many more

SIZES




1300X3050mm
4.25'X10'

SIZE(S)



1220X3050mm
4'X10'

SIZE(S)



1220X2440mm
4'X8'

SIZE(S)



THICKNESS


6MM



DECOR/
TEXTURES

AVAILABLE IN 40 DECORS
& SUEDE TEXTURE

CUSTOMIZED SIZES ARE AVAILABLE ON DEMAND.



CONTENT





DESIGNER
WOODEN
ART

CRAFTSMANSHIP

Embrace the timeless allure of wooden art
collection

WOODGRAINS

Elevate your space with the warmth
of wood, a symbol of timeless luxury
and understated charm

USED
6381 SF




6381 SF
CHINTOPINE

1220 X 2440 mm

1300 X 3050 mm

W O O D Y

95 X 130 MM




6385 SF
TROPICAL WALNUT





1220 X 2440 mm

1300 X 3050 mm

102 X 62 MM



WOODGRAINS



N O B L E H E R I T A G E

Experience the artistry of tradition
reimagined, as your surroundings
are transformed into a sanctuary of
style and grace.

USED
6386 SF



6389 SF
SAPELLE

1220 X 2440 mm

1300 X 3050 mm

SERENE
GLAMOUR

95 X 130 MM



6390 SF
CHARISMAWOOD

1220 X 2440 mm

1300 X 3050 mm

102 X 62 MM

WOODGRAINS




95 X 130 MM



10025 SF
MOLDAU ACASIA

1220 X 2440 mm
1300 X 3050 mm

TIMELESS
WOODEN




102 X 62 MM



10026 SF
ROYAL MAHAGONY

1220 X 2440 mm
1300 X 3050 mm




95 X 130 MM



10048 SF
NOCE VICTORIA

1220 X 2440 mm
1300 X 3050 mm

PRISTINE







102 X 62 MM



10049 SF
MANITOBA MAPLE

1220 X 2440 mm
1300 X 3050 mm

WOODGRAINS



DESIGNER PATTERN

ALLURE OF PATTERNS

where artistry meets precision in every intricate detail. From classic motifs to contemporary designs, discover a symphony of creativity that transcends time and space

SYMPHONY OF CREATIVITY

PATTERN

BEAUTY
IN
DIVERSITY

USED
6387 SF




6387 SF
SKY MARBLE

1220 X 2440 mm

95 X 130 MM

STYLISH

PATTERN



PATTERN



PATTERN



10038 SF
DAVIDO

1300 X 3050 mm

INFINITE
ELEGANCE



95 X 130 MM

PATTERN



10039 SF
PARIDO

1300 X 3050 mm

IMPERIAL
STYLE



95 X 130 MM

PATTERN



PATTERN



CONCRETE




10047 SF
BELMONTE STONE

1220 X 2440 mm

1300 X 3050 mm

E X T R A V A G A N T



95 X 130 MM

A R T I S T R Y E N R I C H E D G R A I N





COLORCODE

Dive into the vibrant world of color, where every hue tells a story of emotion and expression.

VERSATILE
AND
SUBTLE

COLOR

COLOR

COLOR

COLOR

COLOR CODES

95 X 130 MM



6398 SF
VIRGO WHITE

1220 X 2440 mm

1300 X 3050 mm

COLOR

102 X 62 MM



10004 SF
MILKY WHITE

1220 X 2440 mm

1300 X 3050 mm

CANVAS STORIES

102 X 62 MM



6399 SF
VIRGO GREY

1220 X 2440 mm

1300 X 3050 mm



1101 SF
DEEP GREY

1220 X 2440 mm

1300 X 3050 mm



10015 SF
GRAPHITE BLACK

1220 X 2440 mm

1300 X 3050 mm

COLOR CODES



VITALITY
WITH EACH
STROKE



COLOR CODES

USED
10005 SF

95 X 130 MM



10007 SF
PALE WHITE

1220 X 2440 mm

1300 X 3050 mm

T
O
N
E
S

102 X 62 MM



10005 SF
LACE WHITE

1220 X 2440 mm

1300 X 3050 mm

COLOR CODES




102 X 62 MM



10051 SF
LIME GREEN

1220 X 2440 mm


1300 X 3050 mm




10052 SF
SANDY BEIGE

1220 X 2440 mm

1300 X 3050 mm






10054 SF
METAL GREY

1220 X 2440 mm

1300 X 3050 mm



SPARKS
INSPIRATION




10055 SF
FAWN BEIGE

1220 X 2440 mm

1300 X 3050 mm





10056 SF
CARAMEL WHITE

1220 X 2440 mm

1300 X 3050 mm





10057 SF
GOLDEN YELLOW

1220 X 2440 mm

1300 X 3050 mm



SOLID



LUXURY PRESERVED



SOLID



LIVING HUES



SOLID



FRESH BURST



INDEX

DESIGN NO.	FINISH	DESIGN NAME	PG NO.
1098	SF	Cardinal Red	44
1101	SF	Deep Grey	42
6381	SF	Chintopine	18
6382	SF	Orlando Walnut	20
6384	SF	Bronze Walnut	20
6385	SF	Tropical Walnut	18
6386	SF	Ebony Sepia	19
6387	SF	Sky Marble	30
6389	SF	Sapelle	22
6390	SF	Charismawood	22
6395	SF	Barkwood	19
6398	SF	Glamiva White	41
6399	SF	Glamiva Grey	42
10001	SF	White	51
10002	SF	Off White	51
10003	SF	Warm White	51
10004	SF	Milky White	41
10005	SF	Lace White	46
10006	SF	Milky White	52
10007	SF	Pale White	46
10008	SF	Creme	52
10009	SF	Ashen Grey	43
10012	SF	Smoke Grey	43
10013	SF	Ash Grey	53
10014	SF	Shadow Grey	43
10015	SF	Graphite Black	42
10016	SF	Candy Apple Red	53
10017	SF	Marine Blue	44
10018	SF	Chocolate	44
10019	SF	Smoked Walnut	25
10020	SF	Cognac Oak	25




DESIGN NO.	FINISH	DESIGN NAME	PG NO.
10021	SF	Grey Speckled	52
10022	SF	Brown Speckled	31
10025	SF	Moldau Acasia	23
10026	SF	Royal Mahagony	23
10031	SF	Samoa Teak	26
10032	SF	Anthrazit	32
10033	SF	Wisla Pine	26
10038	SF	Davido	33
10039	SF	Parido	34
10040	SF	Cement Stone	36
10041	SF	Seafoam Green	53
10046	SF	Delgado Stone	36
10047	SF	Belmonte Stone	37
10048	SF	Noce Victoria	24
10049	SF	Manitoba Maple	24
10051	SF	Lime Green	47
10052	SF	Sandy Beige	47
10053	SF	Pebble	54
10054	SF	Metal Grey	47
10055	SF	Fawn Beige	48
10056	SF	Caramel White	48
10057	SF	Golden Yellow	48
10058	SF	Dark Purple	49
10062	SF	Moon White	54
10063	SF	Frosty White	54
10067	SF	Ivory	49
10076	SF	Flory Ivory	50
10077	SF	Steel Blue	49
10078	SF	Fur Green	50
10079	SF	Rust Grey	50

TECHNICAL SPECIFICATIONS - GLAMIVA CLADDICE

S NO.	PROPERTIES	TEST METHOD	ATTRIBUTES OF PERFORMANCE	UNIT OF MEASUREMENT	RESULTS (AS PER EN 438-6)
			EN-438 Laminate Classification		EDS/EDF/EGS/EGF
1	SURFACE QUALITY				
1.1	Surface Quality	EN 438-2.4	Spots, Dirt and Similar Surface Defects	mm²/m²	≤ 1
			Fibres, Hairs and Scratches	mm/m²	≤ 10
2	DIMENSIONAL PROPERTIES				
2.1	Thickness	EN 438-2.5	Thickness tolerance	mm	5 ≤ T < 8 : ± 0.4
					5 ≤ T < 8 : ± 0.4
2.2	Size	EN 438-2.6	Length and width	mm	+ 10 / - 0
2.3	Straightness of edges	EN 438-2.7	Straightness of edges	mm/m	≤ 1.5
2.4	Squareness	EN 438-2.8	Squareness	mm/m	≤ 1.5
2.5	Flatness	EN 438-2.9	Flatness (measured on full-size sheet)	mm/m	Max, 8.0
3	PHYSICAL PROPERTIES				
3.1	Resistance to surface wear	EN 438-2.10	Wear Resistance	Revolutions	≥ 410
3.2	Resistance to immersion in boiling water	EN 438-2.12	Mass increase	%	≤ 2
			Thickness increase	%	≤ 2
			Appearance - Gloss Finish	Rating	≥ 3
			Appearance - Other Finishes	Rating	≥ 4
3.3	Resistance to water vapour	EN 438-2.14	Appearance - Gloss Finish	Rating	≥ 3
			Appearance - Other Finishes	Rating	≥ 4
3.4	Resistance to dry heat (180°C)	EN 438-2.16	Appearance - Gloss Finish	Rating	≥ 3
			Appearance - Other Finishes	Rating	≥ 4
3.5	Dimensional stability at elevated temperatures	EN 438-2.17	Cumulative dimensional change - 2 ≤ T<5mm	L %	≤ 0.40
				T %	≤ 0.80
3.6	Resistance to impact with large diameter ball	EN 438-2.21	Indent. dia. 10mm - Drop Height	mm	≥ 1400
3.7	Resistance to crazing	EN 438-2.24	Appearance	Rating	≥ 4
3.8	Resistance to scratching	EN 438-2.25	Appearance - Smooth Finishes	Rating	≥ 2
			Appearance - Textured Finishes	Rating	≥ 3
3.9	Resistance to staining	EN 438-2.26	Appearance - Group 1 & 2	Rating	≥ 5
			Appearance - Group 3	Rating	≥ 4
3.10	Light fastness (Xenon arc)	EN 438-2.27	Contrast	Grey scale rating	4i to 5
3.11	Flexural modulus	EN ISO 178	Stress	Mpa	≥ 9000
3.12	Flexural strength	EN ISO 178	Stress	Mpa	≥ 80
3.13	Tensile Strength	EN-ISO-572-2-1996	Stress	Mpa	Stress ≥ 60
3.14	Density	EN ISO 1183	Density	gm/cm³	1.4 ± 0.05
3.15	OTHER PROPERTIES	ISO 12460-3 EN-717-2:2006			
	Release of Formaldehyde		Rating	Classification	E1
4	FIRE PERFORMANCES		Test as per EN 13823 (SBI test) and EN ISO 11925-2 (Small-burner test)		
4.1	Fire Reaction Classification, EGF-EDF	EN 135 01	Classification - 3 ≤ T < 6 mm	Rating	B - s2, d0
			Classification - T ≥ 6 mm	Rating	B - s1, d0
4.2	Fire Reaction Classification, EGS-EDS	EN 135 01	Classification - T ≥ 10 mm	Rating	B - s1, d0
5	WEATHER RESISTANCE REQUIREMENTS				
5.1	Resistance to climatic shock	EN 438-2.19	Thermal Shock Resistance - Appearance	Rating	≥ 4
5.2	Resistance to artificial weathering	EN 438-2.29	Contrast	Grey scale rating	≥ 3
			Appearance	Rating	≥ 4

DISCLAIMER:
Glamiva hereby warrants to the original buyer that product is free from defects in material and workmanship under normal and intended use, within accepted manufacturing tolerances. The buyer's exclusive remedy for any claim arising from a defective laminate shall be limited to the replacement of laminate only.

ACTUAL SAMPLE



CORES SAMPLES

GLAMIVATM
GROUP

INDIA | SINGAPORE | THAILAND | MALAYSIA | INDONESIA | EGYPT | UAE | EUROPE | AMERICAS

Corporate Office

1205-07A, 13th Floor, West Gate, Tower B
Near YMCA Club , S G Road, Makaraba
Ahmedabad - 380051, INDIA

Head Office

E3H, B Block, Godrej Eternia Plot No. 70
SDM Office Rd., Industrial Areas Phase-I
Chandigarh-160002

Manufacturing Unit

Near Matar Chowkdi, National Highway No. 48,
Ahmedabad Nadiad Road, Taluka - Matar, Village
Sokhda, Kheda, Gujarat - 387570, INDIA

CONTACT US

+91 - 9117 666 666 | info@glamivagroup.com | www.glamivalaminates.com | www.glamivagroup.com

